



TO: CMI
5285 Shawnee Road
Suite 510
Alexandria, VA22312

July 19, 2022

RE: CSS #: 1623
WO#: 18264

United Air Conditioning to provide necessary labor and materials for repairs to the
Trane # RATC-1554-UTOH serving the NYANG Recruit Center, 910 Raz Avenue,
New Windsor, NY per recommendations on Service Order# 433863

INCLUDES:

Removal and replacement of two (2) OEM condenser fans
Removal and replacement of two (2) OEM fan blades
Check operation of system with new parts installed

EXCLUDES:

Overtime labor
Additional labor and materials that may be deemed necessary once new parts are installed
Aforementioned Service Order

SEE ATTACHED

TOTAL: \$ 6,780.00 plus applicable tax

Six thousand seven hundred eighty dollars & 05/100 + applicable tax

PRICES EXPIRE 30 DAYS FROM DATE OF PROPOSAL

- a.) All sums due hereunder, if not paid within THIRTY (30) days of the invoice date, shall bear interest at the rate of 1.5% per month.
- b.) In the event litigation is commenced to collect any sums due hereunder, the prevailing party in such litigation shall be entitled to an award of reasonable attorney's fees.

Payments to be made as follows: NET 30

Submitted by:
United Air Conditioning, Refrigeration, Plumbing & Heating, Inc. (CD)

Sign: _____ Print: _____ Date: _____
Acceptance of this proposal

New York Army National Recruiting
910 Raz Avenue New Windsor NY 12553


7/20/22

CSS# 1623

WO #18264

United
Temperature Solutions
for Home & Business

201 Ann Street, #1—Newburgh, NY 12550
tele: 845.561.5030 fax: 845.561.0038



TRANE[®]
SERIES R

SERIAL NUMBER [REDACTED]

CRC [REDACTED]

TYPE OF USE [REDACTED]

MODEL NUMBER [REDACTED]

RATED VOLTAGE/HZ/PH [REDACTED]

VOLT UTILIZATION RANGE [REDACTED]

MIN CKT AMPACITY [REDACTED]

MAX OVERCURRENT PROTECTION [REDACTED]

EVAP HEATER/ CONVEN OUTLET [REDACTED]

VOLT-AC [REDACTED]

CKT1 [REDACTED]

CKT2 [REDACTED]

CKT1 [REDACTED]

CKT2 [REDACTED]

VOLT-AC [REDACTED]

CKT1 [REDACTED]

CKT2 [REDACTED]

FACTORY [REDACTED]

REFRIGERANT CHARGE [REDACTED]

OIL CHG [REDACTED]

CPRSR MTR 1A [REDACTED]

CPRSR MTR 1B [REDACTED]

CPRSR MTR 2A [REDACTED]

CPRSR MTR 2B [REDACTED]

3 HZ PH RLA [REDACTED]

3 Y LRA [REDACTED]

3 X-L LRA [REDACTED]

3 HZ PH RLA [REDACTED]

3 Y LRA [REDACTED]

3 X-L LRA [REDACTED]

3 HZ PH RLA [REDACTED]

3 Y LRA [REDACTED]

3 X-L LRA [REDACTED]

3 QTY [REDACTED]

3 HP EA [REDACTED]

3 FLA EA [REDACTED]

FAN MTRS [REDACTED]

INSTALLATION, OPERATION, & MAINTENANCE MANUAL [REDACTED]

WIRING BOOK [REDACTED]

MANUFACTURED UNDER ONE OR MORE CORRESPONDING CERTIFICATIONS [REDACTED]

REFRIGERANT CHG R134A

OIL CHG OIL

TYPE/ NUMBER [REDACTED]

CKT 1 215 LBS

CKT 2 205 LBS

DESIGN PRESSURES PSIG

HIGH SIDE [REDACTED]

LOW SIDE [REDACTED]

MIN MARKED DESIGN PSIG FOR ANY REMOTE COND [REDACTED]