

Modeling Manufacturing Company
1221 Magnolia Avenue
Bristol, Virginia 24410 USA

MODEL NUMBER
TLP150H34

SERIAL NUMBER
301013705-6356

TYPE OF GAS
NATURAL

IN R.A. FOR INSTALLATION ABOVE 2000 FEET ABOVE SEA LEVEL
PRESSURE FOR EACH 1000 FEET OF ELEVATION ABOVE SEA LEVEL

6 IN. DIA. IN.
6.375 IN. DIA. IN.
150000
135000

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

TYPE OF GAS
NATURAL

INFRARED RADIANT TUBE HEATER FOR INDUSTRIAL/COMMERCIAL USE
RADIATEUR A TUBE RAYONNANT A INFRAROUGE POUR USAGE INDUSTRIEL/COMMERCIAL

U.S. PATENT 6,711,848 B2

150000

115

4.5

60

1

APPROVALS

ANSI Z83.20 - 2001

CSA 2.34 - 2001

ME A 378-02-E

CLEARANCE TO EACH END IS 12 IN.

ACCEPTED BY

CITY OF NEW YORK

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG

TOP / MAG




TOP	12	IN
BACK	10	IN
FRONT	38	IN
HEIGHT	28	IN

MINIMUM CLEARANCE
TO COMBUSTIBLE
MATERIAL

INDOOR / OUTDOOR
VENTED / UNVENTED

INSTALLATION IN UNVENTED SPACES, INCLUDING ATTIC, CRAWL SPACE, AND OTHER UNVENTED SPACES, IS PROHIBITED. THE HEATER MUST BE INSTALLED IN A VENTED SPACE. ALL WIRING MUST BE IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND ALL APPLICABLE LOCAL CODES. THE HEATER MUST BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTALLATION INSTRUCTIONS. THE HEATER MUST BE INSTALLED IN A VENTED SPACE. ALL WIRING MUST BE IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND ALL APPLICABLE LOCAL CODES. THE HEATER MUST BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTALLATION INSTRUCTIONS.



3 IN. MINIMUM
1" - 45° ANGLE



CERTIFICATION OF WORK
SERVICE CALL

(To be completed by the Contractor and saved in the Contractor's CMMS)

FACID/Building: Pg 171

Date of Visit: 1-22-19

Contractor Personnel on Site:

1. Dominic Stango 4. _____
2. _____ 5. _____
3. _____ 6. _____

Service Call Number

CSS# _____ WO# 191045T

Description of Repairs

Can't get to weater without lift seems
to be ignitor

CERTIFICATION OF WORK

To be signed by the Contractor:

Print Name: Dominic Stango Date: 1-22-19

Signed: 

To be signed by Facility Manager:

By signing the Certification of Work, the said government representative signature does not constitute acceptance of any work performed by the contractor, it only acknowledges that the contractor was on-site during the identified timeline:

Print Name/Rank: Joseph Kuhl Date: 1/22/2019

Signed: 

E-Mail: Joseph.Kuhl.civil@mail.mil

