

CERTIFICATION OF WORK

(To be completed by the Contractor and saved in the Contractor's CMMS)

FACID/Building: P2042

Date of Visit: 5/8/19

Contractor Personnel on Site:

1. Tony Lazzari
2. Jim Leathers
3. Scott Wern

4. Gary Batzel
5. _____
6. _____

Work Performed:

Preventive Maintenance - Services Completed (Annual, Quarterly, Monthly, equipment identification, etc.)

1. 8532
2. 8639
3. 8797
4. 8708

CERTIFICATION OF WORK

To be signed by the Contractor:

Print Name: Jim Leathers

Date: 5-8-19

Signed: _____

To be signed by Facility Manager:

By signing the Certification of Work, the said government representative signature does not constitute acceptance of any work performed by the contractor, it only acknowledges that the contractor was on-site during the identified timeline:

Print Name/Rank: Rosier, Rodney SGT

Date: 5-8-19

Signed: _____

E-Mail: _____

OTHER RECURRING SERVICES CERTIFICATION OF WORK
(To be completed by the Contractor and saved in the Contractor's CMMS)

FACID/Building: P-092

Date of Visit: 7/8/19

Contractor Personnel on Site:

- | | |
|-----------------------|-----------------------|
| 1. <u>Tony Lorenz</u> | 4. <u>Gary Kitzel</u> |
| 2. <u>Jim Gentry</u> | 5. _____ |
| 3. <u>Scott Werry</u> | 6. _____ |

Work Performed:

Other Recurring Services

- | | |
|----------------|-------|
| 1. <u>8586</u> | _____ |
| 2. _____ | _____ |
| 3. _____ | _____ |
| 4. _____ | _____ |

CERTIFICATION OF WORK

To be signed by the Contractor:

Print Name: Jim Gentry

Date: 5-8-19

Signed: _____

To be signed by Facility Manager:

By signing the Certification of Work, the said government representative signature does not constitute acceptance of any work performed by the contractor, it only acknowledges that the contractor was on-site during the identified timeline:

Print Name/Rank: Rosier, Rodney ES SGT

Date: 5-8-19

Signed: _____

E-Mail: _____

PREVENTATIVE MAINTENANCE PROGRAM CHECKLIST LIGHTING, OUTSIDE

SITE AND BLDG #:

P 042-01

MECHANIC

SIGNATURE:

DATE:

1/13

LOCATION/RM #:

MC 1

WO#

8586

ASSET #

2449

START TIME:

4:30AM

FINISH TIME:

4:45AM

ITEM NO.	DESCRIPTION	TESTS COMPLETED		NOTES/ACTIONS
		YES	NO	
SPECIAL INSTRUCTIONS				
1	In addition to the procedure(s) outlined in this standard, the equipment manufacturer's recommended maintenance procedure(s) and/or instruction(s) shall be strictly adhered to.		/	
2	Schedule and coordinate work with operating personnel.	/		
3	Follow lock out/tag out procedures at all times. De-energize or discharge all hydraulic, electrical, mechanical, or thermal energy prior to beginning work.	/		
TO BE PERFORMED AT EACH INSPECTION SERVICE				
	Open and tag switch.	/		
	Inspect visual condition of wiring. Look for evidence of overheating.	/		
	Check for proper light operation.	/		
	Test operation of automatic switches/ time clock/ photocells if applicable.	/		
	Inspect light pole and mounting devices for deficiencies.	/		
	For any noted deficiency, takes pictures and open corrective maintenance ticket.	/		

Note: The technician shall perform any repairs identified during PM up to \$250 (direct labor and direct material cost) per PM occurrence. For any deficiencies found exceeding \$250 open a corrective maintenance (CM) ticket and include the Asset #, WO #, photos, and a detailed description of the deficiency.

To be performed by: General Maintenance Worker

Additional Notes:

3

R

Rosc

PREVENTATIVE MAINTENANCE PROGRAM CHECKLIST GATES, FENCES, SECURITY AND ACCESS

SITE AND BLDG #:

P 092-01

LOCATION/RM #:

MLP

WO#

ET66

ASSET # 2871

MECHANIC
SIGNATURE:

START TIME:

1145

DATE:

7/8/18

FINISH TIME:

1250

CHECK POINT	CHECK POINT DESCRIPTION	TASK COMPLETED		NOTES/ACTIONS
		YES	NO	
SPECIAL INSTRUCTIONS				
1	In addition to the procedure(s) outlined in this standard, the equipment manufacturer's recommended maintenance procedure(s) and/or instruction(s) shall be strictly adhered.			
2	Follow lock out/tag out procedures at all times. De-energize or discharge all hydraulic, electrical, mechanical, or thermal energy prior to beginning work.			
TO BE PERFORMED AT EACH INSPECTION SERVICE				
GATES				
	Inspect all pivot points, hinges, latches, etc. Apply lubricant where needed, wiping off excess.			
2	Check all locking devices. Lubricate as required.			
3	Inspect center gate support rollers and lubricate as required.			
4	Clean roller track of any debris.			
5	Check bolts, fasteners, and mounting hardware. Tighten or adjust as necessary.			
6	Check for any obstructions that retard full swing or movement of the gate.			
7	Check that shrubs and trees are pruned clear of gate.			
8	Check hold open devices for proper operation. Lubricate as required.			
FENCES				
1	Check posts and corner posts, support guys, and horizontal bars between each support post.			
2	Check wire and anchor point; re-stretch and re-anchor if necessary.			
3	Inspect fence anchors along the bottom of the fence and at the point where the fence is connected to the post.			
4	Treat with galvanized protectant where rust has developed.			
5	If approved, apply weed control along entire base of fence. Consult the Safety Data Sheets (SDS) for hazardous ingredients and proper personal protective equipment (PPE).			
6	Check that shrubs and trees are pruned clear of fencing			

Note: The technician shall perform any repairs identified during PM up to \$250 (direct labor and direct material cost) per PM occurrence. For any deficiencies found exceeding \$250 open a corrective maintenance (CM) ticket and include the Asset #, WO #, photos, and a detailed description of the deficiency.

To be performed by: General Maintenance Worker

Additional Notes:

Single Gate


BK

PREVENTATIVE MAINTENANCE PROGRAM CHECKLIST GATES, FENCES, SECURITY AND ACCESS

SITE AND BLDG #: Pr 092-01

LOCATION/RM #: M01 WO# 6520

ASSET # 7572

MECHANIC
SIGNATURE: 

DATE: 5/8/18

START TIME: 11:15

FINISH TIME: 12:00

CHECK POINT	CHECK/DESCRIPTION	TASK COMPLETED		NOTES/ACTIONS (If task completed, check box or provide explanation)
		YES	NO	
SPECIAL INSTRUCTIONS				
1	In addition to the procedure(s) outlined in this standard, the equipment manufacturer's recommended maintenance procedure(s) and/or instruction(s) shall be strictly adhered.			
2	Follow lock out/tag out procedures at all times. De-energize or discharge all hydraulic, electrical, mechanical, or thermal energy prior to beginning work.		✓	
TO BE PERFORMED AT EACH INSPECTION SERVICE				
GATES				
1	Inspect all pivot points, hinges, latches, etc. Apply lubricant where needed, wiping off excess.		✓	
2	Check all locking devices. Lubricate as required.		✓	
3	Inspect center gate support rollers and lubricate as required.		✓	
4	Clean roller track of any debris.		✓	
5	Check bolts, fasteners, and mounting hardware. Tighten or adjust as necessary.		✓	
6	Check for any obstructions that retard full swing or movement of the gate.		✓	
7	Check that shrubs and trees are pruned clear of gate.		✓	
8	Check hold open devices for proper operation. Lubricate as required.		✓	
FENCES				
1	Check posts and corner posts, support guys, and horizontal bars between each support post.			
2	Check wire and anchor point; re-stretch and re-anchor if necessary.			
3	Inspect fence anchors along the bottom of the fence and at the point where the fence is connected to the post.			
4	Treat with galvanized protectant where rust has developed.			
5	If approved, apply weed control along entire base of fence. Consult the Safety Data Sheets (SDS) for hazardous ingredients and proper personal protective equipment (PPE).			
6	Check that shrubs and trees are pruned clear of fencing.			

Note: The technician shall perform any repairs identified during PM up to \$250 (direct labor and direct material cost) per PM occurrence. For any deficiencies found exceeding \$250 open a corrective maintenance (CM) ticket and include the Asset #, WO #, photos, and a detailed description of the deficiency.
To be performed by: General Maintenance Worker

Additional Notes:

BK