

Region: 5

Location: VA099

CSS #: 20680

Maximo Work Order No.: 10148

Asset #: NA

Date Issued: 11/18/19

Original Description: The OMS oil water separator and the kitchen grease separator need to be emptied and cleaned.

Repairs Needed:

Empty and clean Oil Water Separator and the kitchen grease separator.

RS Means Line Buildup and Labor Summary (Data Version 2017, Q4):

Quantity	Line Item Number	Description	Labor Hours	Labor Rate/Hr	Materials	Equipment	Total
1	NA	Truck Fee which includes labor and pumping out 2600 gal	--	--	\$2,750.00	--	\$2,750.00
--	NA	Oversite and site coordination	4	\$80.00	--	--	\$320.00

Estimate Summary:

Labor Hours	Labor Cost	Material Cost		Total Cost	CE Factor	Total Estimate
4	\$320.00	\$2,750.00		\$3,070.00	100%	\$3,070.00

Date: **November 18, 2019**
Customer ID: VA23870

Wes Morck

540-728-0756

To: VA099 - Tidewater Inc
C/O Tina Lee
11117 Harmony Crossing Dr
Bedford, VA 24523
614-623-9569

Oil/Water Separators - VAC

--

Qty	Description	Unit Price	Line Total
1.00	Truck Fee	\$ 150.00	\$ 150.00
2600.00	Charge per gallon of waste (max 2600 gal)	1.00	2,600.00
		Subtotal	\$ 2,750.00
		Sales Tax	
		Total	\$ 2,750.00

To accept this quotation, sign here and return: _____



Performance Plus Oils and Lubricants

PERFORMANCE UNDER THE MOST EXTREME CONDITIONS.

It is our privilege to serve you

WASTE MATERIAL PROFILE SHEET

Profile No. 1940495

A. GENERAL INFORMATION					
GENERATOR EPA ID #/REGISTRATION #	<i>pending</i>	GENERATOR NAME:	VA099 Tidewater		
GENERATOR CODE (Assigned by Clean Harbors)	VA23870	CITY	Bedford	STATE/PROVINCE	VA ZIP/POSTAL CODE 24523
ADDRESS	11117 Harmony Crossing Drive				
CUSTOMER CODE (Assigned by Clean Harbors)	VA23870	CUSTOMER NAME:	VA099 Tidewater		
ADDRESS	11117 Harmony Crossing Drive	CITY	Bedford	STATE/PROVINCE	VA ZIP/POSTAL CODE 24523
PHONE: (614) 623-9569					

B. WASTE DESCRIPTION

WASTE DESCRIPTION: **OILY WATER**

PROCESS GENERATING WASTE: **Washing of Vehicles, machinery, and Equipment. Pump out of the Oil/Water separators.**

IS THIS WASTE CONTAINED IN SMALL PACKAGING CONTAINED WITHIN A LARGER SHIPPING CONTAINER ? **No**

C. PHYSICAL PROPERTIES (at 25C or 77F)

PHYSICAL STATE SOLID WITHOUT FREE LIQUID POWDER MONOLITHIC SOLID <input checked="" type="checkbox"/> LIQUID WITH NO SOLIDS LIQUID/SOLID MIXTURE % FREE LIQUID % SETTLED SOLID % TOTAL SUSPENDED SOLID SLUDGE GAS/AEROSOL	NUMBER OF PHASES/LAYERS 1 <input checked="" type="checkbox"/> 2 3 TOP 60.00 % BY VOLUME (Approx.) MIDDLE 0.00 BOTTOM 40.00		VISCOSITY (If liquid present) 1 - 100 (e.g. Water) <input checked="" type="checkbox"/> 101 - 500 (e.g. Motor Oil) 501 - 10,000 (e.g. Molasses) > 10,000	COLOR <u>VARIES</u>				
	ODOR NONE <input checked="" type="checkbox"/> MILD STRONG Describe:	BOILING POINT °F (°C) <= 95 (<=35) 95 - 100 (35-38) 101 - 129 (38-54) <input checked="" type="checkbox"/> >= 130 (>54)	MELTING POINT °F (°C) < 140 (<60) 140-200 (60-93) > 200 (>93)		TOTAL ORGANIC CARBON <= 1% 1-9% <input checked="" type="checkbox"/> >= 10%			
	FLASH POINT °F (°C) < 73 (<23) 73 - 100 (23-38) 101 -140 (38-60) 141 -200 (60-93) <input checked="" type="checkbox"/> > 200 (>93)				pH <= 2 2.1 - 6.9 <input checked="" type="checkbox"/> 7 (Neutral) 7.1 - 12.4 >= 12.5	SPECIFIC GRAVITY < 0.8 (e.g. Gasoline) <input checked="" type="checkbox"/> 0.8-1.0 (e.g. Ethanol) 1.0 (e.g. Water) 1.0-1.2 (e.g. Antifreeze) > 1.2 (e.g. Methylene Chloride)	ASH < 0.1 <input checked="" type="checkbox"/> 0.1 - 1.0 1.1 - 5.0 5.1 - 20.0	BTU/LB (MJ/kg) < 2,000 (<4.6) 2,000-5,000 (4.6-11.6) 5,000-10,000 (11.6-23.2) <input checked="" type="checkbox"/> > 10,000 (>23.2) Actual:

D. COMPOSITION (List the complete composition of the waste, include any inert components and/or debris. Ranges for individual components are acceptable. If a trade name is used, please supply an MSDS. Please do not use abbreviations.)

CHEMICAL	MIN	--	MAX	UOM
PETROLEUM OILS	55.0000000	--	60.0000000	%
WATER	40.0000000	--	45.0000000	%

DOES THIS WASTE CONTAIN ANY HEAVY GAUGE METAL DEBRIS OR OTHER LARGE OBJECTS (EX., METAL PLATE OR PIPING >1/4" THICK OR >12" LONG, METAL REINFORCED HOSE >12" LONG, METAL WIRE >12" LONG, METAL VALVES, PIPE FITTINGS, CONCRETE REINFORCING BAR OR PIECES OF CONCRETE >3")? YES NO

If yes, describe, including dimensions:

DOES THIS WASTE CONTAIN ANY METALS IN POWDERED OR OTHER FINELY DIVIDED FORM? YES ☒ NO

DOES THIS WASTE CONTAIN OR HAS IT CONTACTED ANY OF THE FOLLOWING: ANIMAL WASTES, HUMAN BLOOD, BLOOD PRODUCTS, BODY FLUIDS, MICROBIOLOGICAL WASTE, PATHOLOGICAL WASTE, HUMAN OR ANIMAL DERIVED SERUMS OR PROTEINS OR ANY OTHER POTENTIALLY INFECTIOUS MATERIAL? YES ☒ NO

I acknowledge that this waste material is neither infectious nor does it contain any organism known to be a threat to human health. This certification is based on my knowledge of the material. Select the answer below that applies:

The waste was never exposed to potentially infectious material. YES NO

Chemical disinfection or some other form of sterilization has been applied to the waste. YES NO

I ACKNOWLEDGE THAT THIS PROFILE MEETS THE CLEAN HARBORS BATTERY PACKAGING REQUIREMENTS. YES NO

I ACKNOWLEDGE THAT MY FRIABLE ASBESTOS WASTE IS DOUBLE BAGGED AND WETTED. YES NO

SPECIFY THE SOURCE CODE ASSOCIATED WITH THE WASTE. **G32** SPECIFY THE FORM CODE ASSOCIATED WITH THE WASTE. **W205**

E. CONSTITUENTS

Are these values based on testing or knowledge? ☒ Knowledge ☐ Testing

If based on knowledge, please describe in detail, the rationale applied to identify and characterize the waste material. Please include reference to Material Safety Data Sheets (MSDS) when applicable. Include the chemical or trade-name represented by the MSDS, and or detailed process or operating procedures which generate the waste.

Generator knowledge of the process and the material. Pumping out of the oil/water separators.

Please indicate which constituents below apply. Concentrations must be entered when applicable to assist in accurate review and expedited approval of your waste profile. Please note that the total regulated metals and other constituents sections require answers.

RCRA	REGULATED METALS	REGULATORY LEVEL (mg/l)	TCLP mg/l	TOTAL	UOM	NOT APPLICABLE				
D004	ARSENIC	5.0				<input checked="" type="checkbox"/>				
D005	BARIUM	100.0				<input checked="" type="checkbox"/>				
D006	CADMIUM	1.0				<input checked="" type="checkbox"/>				
D007	CHROMIUM	5.0				<input checked="" type="checkbox"/>				
D008	LEAD	5.0				<input checked="" type="checkbox"/>				
D009	MERCURY	0.2				<input checked="" type="checkbox"/>				
D010	SELENIUM	1.0				<input checked="" type="checkbox"/>				
D011	SILVER	5.0				<input checked="" type="checkbox"/>				
VOLATILE COMPOUNDS										
D018	BENZENE	0.5								
D019	CARBON TETRACHLORIDE	0.5								
D021	CHLOROBENZENE	100.0								
D022	CHLOROFORM	6.0								
D028	1,2-DICHLOROETHANE	0.5								
D029	1,1-DICHLOROETHYLENE	0.7								
D035	METHYL ETHYL KETONE	200.0								
D039	TETRACHLOROETHYLENE	0.7								
D040	TRICHLOROETHYLENE	0.5								
D043	VINYL CHLORIDE	0.2								
SEMI-VOLATILE COMPOUNDS										
D023	o-CRESOL	200.0								
D024	m-CRESOL	200.0								
D025	p-CRESOL	200.0								
D026	CRESOL (TOTAL)	200.0								
D027	1,4-DICHLOROBENZENE	7.5								
D030	2,4-DINITROTOLUENE	0.13								
D032	HEXACHLOROBENZENE	0.13								
D033	HEXACHLOROBUTADIENE	0.5								
D034	HEXACHLOROETHANE	3.0								
D036	NITROBENZENE	2.0								
D037	PENTACHLOROPHENOL	100.0								
D038	PYRIDINE	5.0								
D041	2,4,5-TRICHLOROPHENOL	400.0								
D042	2,4,6-TRICHLOROPHENOL	2.0								
PESTICIDES AND HERBICIDES										
D012	ENDRIN	0.02								
D013	LINDANE	0.4								
D014	METHOXYCHLOR	10.0								
D015	TOXAPHENE	0.5								
D016	2,4-D	10.0								
D017	2,4,5-TP (SILVEX)	1.0								
D020	CHLORDANE	0.03								
D031	HEPTACHLOR (AND ITS EPOXIDE)	0.008								
OTHER CONSTITUENTS										
				BROMINE		<input checked="" type="checkbox"/>				
				CHLORINE		<input checked="" type="checkbox"/>				
				FLUORINE		<input checked="" type="checkbox"/>				
				IODINE		<input checked="" type="checkbox"/>				
				SULFUR		<input checked="" type="checkbox"/>				
				POTASSIUM		<input checked="" type="checkbox"/>				
				SODIUM		<input checked="" type="checkbox"/>				
				AMMONIA		<input checked="" type="checkbox"/>				
				CYANIDE AMENABLE		<input checked="" type="checkbox"/>				
				CYANIDE REACTIVE		<input checked="" type="checkbox"/>				
				CYANIDE TOTAL		<input checked="" type="checkbox"/>				
				SULFIDE REACTIVE		<input checked="" type="checkbox"/>				
<table border="1"> <thead> <tr> <th>HOCs</th> <th>PCBs</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> NONE <input type="checkbox"/> < 1000 PPM <input type="checkbox"/> >= 1000 PPM </td> <td> <input checked="" type="checkbox"/> NONE <input type="checkbox"/> < 50 PPM <input type="checkbox"/> >=50 PPM IF PCBS ARE PRESENT, IS THE WASTE REGULATED BY TSCA 40 CFR 761? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> </td> </tr> </tbody> </table>							HOCs	PCBs	<input checked="" type="checkbox"/> NONE <input type="checkbox"/> < 1000 PPM <input type="checkbox"/> >= 1000 PPM	<input checked="" type="checkbox"/> NONE <input type="checkbox"/> < 50 PPM <input type="checkbox"/> >=50 PPM IF PCBS ARE PRESENT, IS THE WASTE REGULATED BY TSCA 40 CFR 761? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
HOCs	PCBs									
<input checked="" type="checkbox"/> NONE <input type="checkbox"/> < 1000 PPM <input type="checkbox"/> >= 1000 PPM	<input checked="" type="checkbox"/> NONE <input type="checkbox"/> < 50 PPM <input type="checkbox"/> >=50 PPM IF PCBS ARE PRESENT, IS THE WASTE REGULATED BY TSCA 40 CFR 761? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>									

ADDITIONAL HAZARDS
DOES THIS WASTE HAVE ANY UNDISCLOSED HAZARDS OR PRIOR INCIDENTS ASSOCIATED WITH IT, WHICH COULD AFFECT THE WAY IT SHOULD BE HANDLED?

YES ☒ NO ☐ (If yes, explain)

CHOOSE ALL THAT APPLY

DEA REGULATED SUBSTANCES	EXPLOSIVE	FUMING	OSHA REGULATED CARCINOGENS
POLYMERIZABLE	RADIOACTIVE	REACTIVE MATERIAL	<input checked="" type="checkbox"/> NONE OF THE ABOVE

F. REGULATORY STATUS

YES	<input checked="" type="checkbox"/>	NO	USEPA HAZARDOUS WASTE?	
YES	<input checked="" type="checkbox"/>	NO	DO ANY STATE WASTE CODES APPLY?	
			Texas Waste Code	
YES	<input checked="" type="checkbox"/>	NO	DO ANY CANADIAN PROVINCIAL WASTE CODES APPLY?	
YES	<input checked="" type="checkbox"/>	NO	IS THIS WASTE PROHIBITED FROM LAND DISPOSAL WITHOUT FURTHER TREATMENT PER 40 CFR PART 268?	
			LDR CATEGORY:	Not subject to LDR
			VARIANCE INFO:	
YES	<input checked="" type="checkbox"/>	NO	IS THIS A UNIVERSAL WASTE?	
YES	<input checked="" type="checkbox"/>	NO	IS THE GENERATOR OF THE WASTE CLASSIFIED AS A VERY SMALL QUANTITY GENERATOR (VSQG) OR A STATE EQUIVALENT DESIGNATION?	
YES	<input checked="" type="checkbox"/>	NO	IS THIS MATERIAL GOING TO BE MANAGED AS A RCRA EXEMPT COMMERCIAL PRODUCT, WHICH IS FUEL (40 CFR 261.2 (C)(2)(II))?	
YES	<input checked="" type="checkbox"/>	NO	DOES TREATMENT OF THIS WASTE GENERATE A F006 OR F019 SLUDGE?	
YES		NO	IS THIS WASTE STREAM SUBJECT TO THE INORGANIC METAL BEARING WASTE PROHIBITION FOUND AT 40 CFR 268.3(C)?	
YES	<input checked="" type="checkbox"/>	NO	DOES THIS WASTE CONTAIN VOC'S IN CONCENTRATIONS >=500 PPM?	
YES	<input checked="" type="checkbox"/>	NO	DOES THE WASTE CONTAIN GREATER THAN 20% OF ORGANIC CONSTITUENTS WITH A VAPOR PRESSURE >= .3KPA (.044 PSIA)?	
YES	<input checked="" type="checkbox"/>	NO	DOES THIS WASTE CONTAIN AN ORGANIC CONSTITUENT WHICH IN ITS PURE FORM HAS A VAPOR PRESSURE > 76.6 KPA (11.1 PSIA)?	
YES	<input checked="" type="checkbox"/>	NO	IS THIS CERCLA REGULATED (SUPERFUND) WASTE ?	
YES	<input checked="" type="checkbox"/>	NO	IS THE WASTE SUBJECT TO ONE OF THE FOLLOWING NESHAP RULES?	
			Hazardous Organic NESHAP (HON) rule (subpart G)	Pharmaceuticals production (subpart GGG)
YES		NO	IF THIS IS A US EPA HAZARDOUS WASTE, DOES THIS WASTE STREAM CONTAIN BENZENE?	
YES		NO	Does the waste stream come from a facility with one of the SIC codes listed under benzene NESHAP or is this waste regulated under the benzene NESHAP rules because the original source of the waste is from a chemical manufacturing, coke by-product recovery, or petroleum refinery process?	
YES		NO	Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) >10 Mg/year?	
			What is the TAB quantity for your facility?	
				Megagram/year (1 Mg = 2,200 lbs)
			The basis for this determination is: Knowledge of the Waste Or Test Data	Knowledge Testing
			Describe the knowledge :	

G. DOT/TDG INFORMATION

DOT/TDG PROPER SHIPPING NAME:

NON DOT REGULATED, (USED OIL AND WATER)

H. TRANSPORTATION REQUIREMENTS

ESTIMATED SHIPMENT FREQUENCY ☒ ONE TIME WEEKLY MONTHLY QUARTERLY YEARLY OTHER

CONTAINERIZED

0-0 CONTAINERS/SHIPMENT

STORAGE CAPACITY:

CONTAINER TYPE:

PORTABLE TOTE TANK

BOX|CARTON|CASE

CUBIC YARD BOX

DRUM

OTHER:

DRUM SIZE:

☒ **BULK LIQUID**

GALLONS/SHIPMENT: **1000.00 Min -3000.00 Max** GAL.

BULK SOLID

SHIPMENT UOM: TON YARD

TONS/YARDS/SHIPMENT: **0 Min - 0 Max**

I. SPECIAL REQUEST

COMMENTS OR REQUESTS:

SKVS REQUESTED

GENERATOR'S CERTIFICATION

I certify that I am authorized to execute this document as an authorized agent. I hereby certify that all information submitted in this and attached documents is correct to the best of my knowledge. I also certify that any samples submitted are representative of the actual waste. If Clean Harbors discovers a discrepancy during the approval process, Generator grants Clean Harbors the authority to amend the profile, as Clean Harbors deems necessary, to reflect the discrepancy.

AUTHORIZED SIGNATURE

NAME (PRINT)

TITLE

DATE









