



Region: 5

Location: VA050

CSS #: 24781

Maximo Work Order No.: 12343

Asset #: 1464

Date Issued: 06/12/20

Original Description: Gate not working again

Repairs Needed:

LoCurrent is pleased to provide a quotation to install a new Hose Kit, Brush Kit, Photo Safety Eye, Hydraulic Pressure Gauge as well as top off Hydraulic Fluid and remove the existing Track and reinstall properly to regain proper functionality of Gate Operator.

RS Means Line Buildup and Labor Summary (Data Version 2017, Q4):

Quantity	Line Item Number	Description	Labor Hours	Labor Rate/Hr	Materials	Equipment	Total
--	NA	Parts/including NDA (See Detail in Quote)	--	--	\$927.46	--	\$927.46
--	NA	Shipping	--	--	--	--	\$100.00
--	NA	Labor	24	\$75.00	--	--	\$1,800.00
--	NA	TW Coordination	4	\$80.00	--	--	\$320.00

Estimate Summary:

Labor Hours	Labor Cost	Material Cost	Equipment	Total Cost	CE Factor	Total Estimate
28	\$2,120.00	\$927.46		\$3,047.46	106%	\$3,230.31

LoCurrent Systems, LLC
3522 County Highway 11
Cooperstown, NY 13326
(607)293-7300
locurrent@gmail.com



Estimate

ADDRESS

Tidewater Inc.
6625- A Selnick Drive
Elkridge, MD 21075

ESTIMATE # 1582

DATE 06/10/2020

P.O. NUMBER

Strathmore VA050 Gate Op Serv

	ACTIVITY	QTY		AMOUNT
06/10/2020	Services Strathmore Facility Richmond, VA VA050 Gate Operator Service	1	2,727.46	2,727.46

Dear Mr. Colopy:

As per your request, LoCurrent Systems is pleased to provide a quotation to install a new Hose Kit, Brush Kit, Photo Safety Eye, Hydraulic Pressure Gauge as well as top off Hydraulic Fluid and remove the existing Track and reinstall properly at the Strathmore Facility Richmond, VA USARC VA050 to regain proper functionality of Gate Operator.

Cost Breakdown:

(1) Brush Kit.....\$272.96
(1) Hose Kit.....\$177.06
(1) Hydraulic Pressure Gauge.....\$49.19
Hydraulic Oil.....\$77.46
(1) Photoeye.....\$232.56
(1) Photoeye Hood.....\$18.23
Shipping & Handling.....\$100.00
(2) men 12 hrs @
\$75.....\$1,800.00

Grand
Total.....\$2,727.46


The cost for the above mentioned work is

Questions? We're Here To Help At (800) 878-7829



We Are Open! Call 800.878.7829 or Order Online!

HySecurity Snow Brush and Scraper Kit For SlideDriver - MX001224



\$238.21

HySecurity Snow Brush and Scraper Kit For SlideDriver - MX001224

Call (800) 878-7829

Details

HySecurity Snow Brush and Scraper Kit For SlideDriver - MX001224



Enlarge/More Views >>

SNOW SCRAPERS & SNOW BRUSHES, SLIDEDRIVE

Mfr Part No.: MX001224
Contractor Part No.: MX001224
Manufacturer: HYSECURITY
Contract No.: GS-07F-0599X (ends: Jun 14, 2021)
MAS Schedule/SIN: MAS/334290L
Warranty: STANDARD WARRANTY
Country of Origin: UNITED STATES OF AMERICA
Weight: 1.000 LB
Order Increment: 1

DISAST PURCH Disaster Purchasing items

COOP PURCH Cooperative Purchasing items

Price
\$225.19 **EA**

Qty: 1

Add to cart

sold and shipped by

FDC OF ORLANDO

Contract minimum order: \$0.00

Product Details

Description

1L X 1W (AY),SlideDriver- Snow brush and blade kit, all except 200 (444) Hy Security Gate Operator parts & accessories (Automatic Gate Openers)

Compare Available Sources

Instructions: Select price below, enter qty at left, then Add to Cart. To view another contractor description, simply select the Contractor in the list below.

◆ Indicates when volume discounts are offered.


select	Price/Unit◆	Contractor◆	Socio	Photo	Deliv Days◆	FOB/Shipping◆
⊙	\$225.19 EA	FDC OF ORLANDO	5		14 days delivered ARO	<u>O-CONUS,AK,PR,HI</u>

Questions? We're Here To Help At (800) 878-7829



We Are Open! Call 800.878.7829 or Order Online!

HySecurity Hydraulic Hose Kit, 1/4 inch For SlideDriver 15/30F/40 - MX001129



\$154.51

Hydraulic 1/4 inch hose kit for SlideDriver 15, 30F, 40. Three hose lengths - 22, 25, 30 inch. Includes 2 - 1/8 inch quick disconnects.

Call (800) 878-7829

Details



Enlarge/More Views >>

HOSE KIT, 3 HOSES, SLIDEDRIVER

Mfr Part No.:	MX001129
Contractor Part No.:	MX001129
Manufacturer:	HYSECURITY
Contract No.:	GS-07F-0599X (ends: Jun 14, 2021)
MAS Schedule/SIN:	MAS/334290L
Warranty:	STANDARD WARRANTY
Country of Origin:	UNITED STATES OF AMERICA
Weight:	1.000 LB
Order Increment:	1

DISASTY PURCH Disaster Purchasing items

COOP PURCH Cooperative Purchasing items

Price
\$145.84 **EA**

Qty:

[Add to cart](#)

sold and shipped by

FDC OF ORLANDO

Contract minimum order: \$0.00

Product Details

Description

1L X 1W (AY),SlideDriver- Hydraulic hose kit, 22, 25, 30, SlideDriver (222) Hy Security Gate Operator parts & accessories (Automatic Gate Openers)

Compare Available Sources

Instructions: Select price below, enter qty at left, then Add to Cart. To view another contractor description, simply select the Contractor in the list below.

◆ Indicates when volume discounts are offered.

select	Price/Unit◆	Contractor◆	Socio	Photo	Deliv Days◆	FOB/Shipping◆
Ⓢ	\$145.84 EA	FDC OF ORLANDO	Ⓢ		14 days delivered ARO	<u>O-CONUS,AK,PR,HI</u>

Questions? We're Here To Help At (800) 878-7829



We Are Open! Call 800.878.7829 or Order Online!

HySecurity Pressure Gauge Kit, 2000 PSI - MX001106



\$42.92

Pressure gauge, 2000 PSI, 2 inch, 1/4 inch NPT with fittings

Call (800) 878-7829



Enlarge/More Views >>

GAUGE, PRESSURE, 2000 PSI, KIT

Mfr Part No.: MX001106
Contractor Part No.: MX001106
Manufacturer: HYSECURITY
Contract No.: GS-07F-0599X (ends: Jun 14, 2021)
MAS Schedule/SIN: MAS/334290L
Warranty: STANDARD WARRANTY
Country of Origin: UNITED STATES OF AMERICA
Weight: 1.000 LB
Order Increment: 1

DISAST Disaster Purchasing items

COOP Cooperative Purchasing items

Price
\$40.81 EA

Qty: 1

Add to cart

sold and shipped by

FDC OF ORLANDO

Contract minimum order: \$0.00

Product Details

Description

1L X 1W (AY),SlideDriver- Pressure gauge, 2000 PSI, 2, 1/8 NPT with fittings, SlideDriver Hy Security Gate Operator parts & accessories (Automatic Gate Openers)

Compare Available Sources

Instructions: Select price below, enter qty at left, then Add to Cart. To view another contractor description, simply select the Contractor in the list below.

◆ Indicates when volume discounts are offered.

select	Price/Unit	Contractor	Socio	Photo	Deliv Days	FOB/Shipping
⊙	\$40.81 EA	FDC OF ORLANDO			14 days delivered ARO	O-CONUS,AK,PR,HI

Questions? We're Here To Help At (800) 878-7829



We Are Open! Call 800.878.7829 or Order Online!

HySecurity Uniflow Hydraulic Fluid, 1 Gallon Base Oil and Additives - Hysecurity MX000970



\$67.60

HySecurity Uniflow Hydraulic Fluid, 1 Gallon Base Oil and Additives - Hysecurity MX000970



In Stock & Ready to Ship!

Call (800) 878-7829

Details



Enlarge/More Views >>

FLUID, HYDRAULIC

Mfr Part No.: MX000970
Contractor Part No.: MX000970
Manufacturer: HYSECURITY
Contract No.: GS-07F-0599X (ends: Jun 14, 2021)
MAS Schedule/SIN: MAS/334290L
Warranty: STANDARD WARRANTY
Country of Origin: UNITED STATES OF AMERICA
Weight: 1.000 LB
Order Increment: 1

DISAST Disaster Purchasing items

COOP Cooperative Purchasing items

Price
\$59.70 EA

Qty: 1

Add to cart

sold and shipped by

FDC OF ORLANDO

Contract minimum order: \$0.00

Product Details

Description

1L X 1W (AY),Fluid, Hydraulic, Uniflow, 1 gallon (for SD, SA, SR, HL) Hy Security Gate Operator parts & accessories (Automatic Gate Openers)

Compare Available Sources

Instructions: Select price below, enter qty at left, then Add to Cart. To view another contractor description, simply select the Contractor in the list below.

◆ Indicates when volume discounts are offered.

select	Price/Unit◆	Contractor ◆	Socio	Photo	Deliv Days ◆	FOB/Shipping ◆
<input checked="" type="radio"/>	\$59.70 EA	FDC OF ORLANDO			14 days delivered ARO	<u>O-CONUS,AK,PR,HI</u>
<input type="radio"/>	\$70.38 EA	<u>FENCE SPECIALISTS LLC</u>			14 days shipped ARO	<u>O-CONUS,AK,PR,HI</u>

[Home](#) → [EMX IRB-SH-SET Protective Hood - Pair in Gray](#)[Zoom](#)

EMX IRB-SH-SET Protective Hood - Pair in Gray

\$20.00

Be the first to review this product

Product Highlights:

- Pair
- Gray Powder Coated Steel
- For IRB-MON, IRB-4X
- **MADE IN USA**

MPN: IRB-SH-SET

SKU: EMX-irb-sh-set


Qty: [Add to Cart](#)[Add to Wishlist](#)[Add to Compare](#)[Share](#)[OVERVIEW](#)[SPECIFICATIONS](#)[REVIEWS](#)

Product Details

The EMX IRB-SH-SET are Gray, Powder Coated Steel Protective Hoods designed for use with the EMX IRB-4X, IRB-MON & IRB-HB Photo Eyes. Set includes 2 hoods.

Features

- Gray, Powder Coated Steel

[Home](#) → [EMX IRB-MON Thru-Beam Photo Eye with Hoods](#)[Zoom](#)[VIEW MANUALS, BROCHURES
& VIDEOS](#)

EMX IRB-MON Thru-Beam Photo Eye with Hoods

\$188.00

Be the first to review this product

Product Highlights:

- GREY STEEL HOODS INCLUDED
- 115' range
- Through-beam
- UL325-2018 compliant
- NEMA 4X enclosure
- Sensitivity adjustment: potentiometer
- 4 monitoring interfaces
- 2-Year Limited Warranty
- **MADE IN USA**

MPN: IRB-MON

SKU: EMX-irb-mon

Qty: [Add to Cart](#)[Add to Wishlist](#)[Add to Compare](#)[Share](#)[OVERVIEW](#)[SPECIFICATIONS](#)[ACCESSORIES](#)[MANUALS & RESOURCES](#)[REPLACEMENT PARTS](#)[REVIEWS](#)

Product Details

The IRB-MON is a monitored, weather-proof, thru beam infrared photoeye solution providing entrapment protection for doors, gates and barriers. The IRB-MON Safety Photo Beam is UL325-2018 compliant and housed in a rugged NEMA 4X enclosure suitable for indoor and outdoor use.

The IRB-MON is a universal UL325 thru beam photoeye which can be used with a wide variety of monitored operators. Additionally, the IRB-MON photoeye is compatible with most non-monitored legacy products. Its robust construction minimizes fogging and false triggering to provide easy alignment.

The IRB-MON universal UL325 thru beam photoeye has 4 monitoring interfaces:

- Normally closed
- Two-wire pulsed (2 freq)
- Two-wire pulsed (3 freq)
- 10k resistive termination

Features

- Operating range: up to 115 ft. (35m)
- Detection angle: 24°
- Sensitivity adjustment: potentiometer
- Power indicator: Green LED
- Detect indicator: Green LED
- Mode selection switch: 3 modes, relay output, pulsed (3 frequency), pulsed (2 frequency)
- Relay output operation: Light on/dark on selection
- Relay output: Form C contacts (NO, COM, NC)
- Resistive termination: 10k Ohm across NO contact
- Power protection: Thermal fuse
- Transmitter power cycle: >300mS (for use in configuration 0 Monitored)
- Power supply: 6–35 VDC, 12–24VAC (configuration 0-relay only)
- Current (config. 1 and 2): 15mA (12VDC, includes TX and RX wired in parallel)
- Current (config. 0): 60mA (relay activated)
- Operating temperature: -40°F–170°F (-40°C–77°C)
- Environmental: NEMA 4X
- Dimensions (L x W x H): 2.3" (57mm) x 2.6" (65mm) x 3.7" (94mm)
- Weight: TX – 0.35 lbs (159 g), RX 0.35 lbs (159 g)
- Connections: TX-2 terminal, RX-5 terminal
- **MADE IN USA**

Model No.: 222 EX 17 ST

S/N: 184310-1451-664



 **HySecurity**[®]

Simple. Reliable. Secure.

Smart Touch Controller



Open



Previous

Close



Reset



Green = Operate
Red = Fault

