

**CERTIFICATION OF WORK
SERVICE CALL**

(To be completed by the Contractor and saved in the Contractor's CMMS)

FACID/Building: USARC VASO Date of Visit: 2/25/2022

Contractor Personnel on Site:

- | | |
|-----------------------------|----------|
| 1. <u>Brandon Holsinger</u> | 4. _____ |
| 2. _____ | 5. _____ |
| 3. _____ | 6. _____ |

Service Call Number

CSS# 32950 WO# 15137

Description of Repairs

Add power to the new wall Heater to be
added in the mechanical Room.

CERTIFICATION OF WORK

To be signed by the Contractor:

Print Name: Brandon Holsinger Date: 2/25/2022

Signed: 

To be signed by Facility Manager:

By signing the Certification of Work, the said government representative signature does not constitute acceptance of any work performed by the contractor, it only acknowledges that the contractor was on-site during the identified timeline:

Print Name/Rank: Carrie Vinson, SFC Date: 01 MAR 22

Signed: 

E-Mail: Carrie.f.vinson.mil@army.mil

Motors

CUST NO 9F0400880000

不

MOD VVL 48T1111305

HZ 60

HP 114

PH 3

208-2301460

CODE M

RPM 1725

SF 1.0

A 1.2-1.31.65

ST 10
ED 48YZ

STA

INSUL-B3
40 °C

NEW
DESIGN B


AMB 40 °C

DESIGN D

TIME RATING	CONT
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

1

SER. NO. VLK130030



CAT NO


WARNING -
PLACE FOR SAFE OPERATION.
DO NOT REMOVE ELECTRICAL PARTS.

NO
- **WARNING** -
TERMINAL COVER MUST BE IN PLACE FOR SAFE OPERATION.
GROUND IN ACCORDANCE WITH LOCAL & NATIONAL ELECTRIC CODES.
KEEP FINGERS & OBJECTS AWAY FROM OPENINGS & ROTATING PARTS.
DISCONNECT POWER SOURCES BEFORE TOUCHING INTERNAL PARTS.
MA5338744-1
HIGH VOLTAGE

145338744-1



LOW VOLTAGE

HIGH VOLTAGE



PERMANENTLY LUBRICATED BALL BEARINGS.
RELUBRICATION NOT REQUIRED.

ASSEMBLED
IN MEXICO



IR202

② E49747

ER2025

