Region: 5

Location: VA701

CSS #: 33148

Maximo Work Order No.: 15381

Asset #: NA

Date Issued: 10/08/20

Original Description: Requesting a proposal for CAC System Recommended spare parts to have on hand.

Repairs Needed:
OmniTech proposes CAC System recommended spare parts to have on hand.

RS Means Line Buildup and Labor Summary (Data Version 2017, Q4):

Quantity	Line Item Number	Description	Labor Hours	Labor Rate/Hr	Materials	Equipment	Total
--	NA	Materials (see attached detail)	--	--	$4,893.00	--	$4,893.00
--	NA	TW Coordination	2	$80.00	--	--	$160.00

Estimate Summary:

Labor Hours	Labor Cost	Material Cost	Equipment	Total Cost	CE Factor	Total Estimate
2	$160.00	$4,893.00		$5,053.00	100%	**$5,053.00**

OMNITECH SERVICES
SECURITY SOLUTIONS | a woman-owned small business

QUOTE

6564 Loisdale Road, Suite 600-V, Springfield VA 22150
Barry Mims, VP Business Development, 703-867-9839
barry.mims@omnitech-services.com

Customer: CMI Management Inc.
5285 Shawnee Road Suite #510
Alexandria,VA 22312

Quote #: CMI211101
Date: 11/1/2021
Valid: 30 days

Ship To:

Contact:
Phone:
Email:

Project:

Your order will be processed upon receipt of payment.

Item #	Equipment	Price	Qty.	Ext. Price
1	**HID Reader** MultiCLASS SE RP40 reader; Black; Pigtail; wiegand output; Legacy iCLASS - SIO - SEOS and HID Prox capabilities; US/EU/Asian back box size; LED Red-Flash Green-Buzzer On; CSN 32 bit; with Lenel logo [direct replacement for 6125CKN0000L]	1050.00	2	2,100.00
2	**LNL-1320S3** Dual Reader Interface Module (Series 3 –Supports OSDP Readers) – 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	898.00	1	898.00
3	**LNL-X2220** LNL-X2220 Intelligent Dual Reader Controller (IDRC) provides a single board solution for interfacing one or two doors to an OnGuard® system. In addition, other I/O and reader interface modules can be added on the controller's downstream port to expand its capabilities	1895.00	1	1,895.00

Item Total:	$4,893.00
Shipping:	$ -
Subtotal:	$4,893.00
Tax:*	$ 293.58
Total:	$5,186.58

A 3% processing fee will be included for payment by credit card.

*Tax will be deducted upon receipt of a resale certificate.

We appreciate the opportunity to work with you!

[Lenel](#)

LNL-1320-S3 LENEL

$803.51

AVAILABILITY: PLEASE CALL OR CHAT FOR LEAD TIME

SKU: **LNL-1320-S3**

— 1 +   — OR —   ADD TO CART

PayPal Pay in 4 interest-free payments of $200.88. Learn more

PayPal

Two easy ways to pay

DESCRIPTION   **BRAND**

LNL-1320-S3 Lenel Dual Reader Interface Module

LNL-1320-S3 Lenel offers a Dual Reader Interface (DRI) module for access control solutions. Most access control card readers, keypads, or readers with keypads that use standard Wiegand Data1/ Data0 or Clock/Data communication are supported, as are those that support the bidirectional RS-485 Open Supervised Device Protocol (OSDP™). Lock, unlock, and facility code offline access modes are supported on all readers connected to the DRI.

Each DRI supports up to 16 different card formats as well as issue codes for both magnetic and Wiegand card formats. The DRI provides a vital link between the Intelligent System Controller (ISC) and the card reader attached to the interface. As many as 32 DRI modules can be multidropped using RS485 2-wire or 4-wire communication up to 4,000 feet per port away from the ISC.

Each DRI module is individually addressed for increased reporting capabilities with OnGuard® access control software applications. The DRI includes eight inputs that support normally open, normally closed, supervised, and non-supervised circuits. In addition, six output relays support fail-safe or fail-secure operation.

Features & Functionality

• 12 or 24 VDC power supply
• Supports Data1/Data0, Clock/Data, Supervised and Unsupervised F2F and OSDP-compatible RS-485 readers and keypads
• Supports Open Supervised Device Protocol (OSDP) readers, including biometric template transfer and Secure Channel encryption
• Downloadable firmware
• Six Form-C 5 A at 28 VDC relay outputs
• Up to 16 different formats
• Issue code support for magnetic and Wiegand formats
• Door contact supervision (open/closed)
• REX push-button monitor
• Strike control output

• Bicolor reader status LED support and 2-wire LED support
• Beeper control
• Dedicated tamper and power failure circuits
• Support for offline reader access mode
• On-board jumpers for termination
• On-board regulator allows 12 VDC reader support from 24 VDC power source
• DIP switch-selectable addressing
• Advanced Encryption Standard (AES) 128-bit or 256-bit encryption supported, depending on ISC and OnGuard version
• Supports Schlage® Handkey® template download
• Compatible with current and previous versions of OnGuard

Extended Functionality

• Connect FIPS-201 readers for embedded authentication (when used with LNL-4420 and appropriate HID® and OnGuard software and licenses)

Datasheet LNL-1320-S3

See all our parts for Lenel

RELATED PRODUCTS   ◉ ○

LENEL
LNL-X2220 LENEL

$2,129.45

LENEL
LNL-8000 LENEL

$869.76

LENEL
LNL-AL600ULX-4CB6 LENEL

$931.18

LENEL
LNL-X2210 LENEL

$1,479.15

LE
LI

$

Contact Us

(480) 977-3555

info@jemsecurity.com

MON - FRI / 8:00 AM - 4:00 PM MST

Links

Home
Shop
About Us
My Account
Cart
Blog
Order Tracking
Privacy Policy
Return Policy
Terms & Conditions
Credit Application (PDF)

Why Choose Us

New Products
Free Shipping
Wide Range of Products
Customer Service
Product Warranty
Best Prices

72

Follow Us

[Lenel](#)

LNL-X2220 LENEL

$2,129.45

AVAILABILITY: PLEASE CALL OR CHAT FOR LEAD TIME

SKU: **LNL-X2220**

| − | 1 | + | — OR — | 🛍 ADD TO CART |

PayPal CREDIT No Interest if paid in full in 6 months. Learn more

PayPal

Two easy ways to pay

DESCRIPTION   **BRAND**

The LNL-X2220 Intelligent Dual Reader Controller (IDRC) provides a single board solution for interfacing

one or two doors to an OnGuard® system.

In addition, other I/O and reader interface modules can be added on the controller's downstream port to expand its capabilities. The LNL-X2220 controller revolutionizes access control system architecture by allowing Ethernet connection directly from an entry location to the OnGuard server, while still providing the security, functionality, and modularity of Lenel's proven hardware platform.

The LNL-X2220 controller is scalable for any access control application, from the most basic to the most sophisticated. In the event of communication loss, the LNL-X2220 controller allows nearly all local functionality to continue unimpaired until the server connection is restored.

[Datasheet](#) LNL-X2220.

See all our parts for [Lenel](#).

RELATED PRODUCTS

LENEL
LNL-X3300 LENEL
$2,412.56

LENEL
LNL-1200-S3 LENEL
$926.50

LENEL
LNL-SS LENEL
$17.05

LENEL
LNL-1100 LENEL
$985.81

LE
LI
$

Links

Home
Shop
About Us
My Account
Cart
Blog
Order Tracking
Privacy Policy
Return Policy
Terms & Conditions
Credit Application (PDF)

Why Choose Us

New Products
Free Shipping
Wide Range of Products
Customer Service
Product Warranty

Best Prices

72