

Additional Funding Request

MD019	CSS# 34165 WO# 16402								
Description of Repairs	Boiler #2 relief valve is leaking water and needs to be replaced. S&S proposes to take it apart at the union and remove the existing valve & install the new one.								
Diagnosis: Initial Work Order	2 boiler need to repair safety valve.								
Diagnostic Fee	\$ 200 Labor cost incurred \$200								
Additional Labor Cost to Perform Repairs	\$ 400 Labor \$100/hr x 4								
Additional Material Cost to Perform Repairs	\$ 242.42 <table border="1" style="margin-left: 20px;"> <tr> <td>1- Appalo 50psi Pressure Relief Valve (Rvw61)</td> <td>1</td> <td>192.42</td> <td>192.42</td> </tr> <tr> <td>Shipping</td> <td>1</td> <td>50.00</td> <td>50.00</td> </tr> </table>	1- Appalo 50psi Pressure Relief Valve (Rvw61)	1	192.42	192.42	Shipping	1	50.00	50.00
1- Appalo 50psi Pressure Relief Valve (Rvw61)	1	192.42	192.42						
Shipping	1	50.00	50.00						
Total Cost of Repair	\$ 842.42								



S&S MECHANICAL

S&S Mechanical
4831 South Crain Highway
Upper Marlboro, MD 20772

Tel. 1 - (301) 574-1555
Fax. 1 - (301) 574-1558
www.sandsmidatlantic.com

CUSTOMER QUOTATION NO. 856

Tidewater, Inc.
Tidewater, Inc
6625 Selnick Dr.
Suite A
Elkridge MD 21075

Quote Name: 16402
Quote No: 856
Site: MD019 Greenspring Avenue
Site Contact:
Salesperson: Lindsay Ruby
Created Date: 01/19/2022
Valid For: 30 Day(s)

WO#: 16402

CSS Ticket Number: 34165

Problem: 2 boiler need to repair safety valve.

Boiler #2 relief valve is leaking water and needs to be replaced. S&S will take it apart at the union and remove the existing valve & install the new one.

Service

Item	Quantity	Unit Price	Total
1- Appalo 50psi Pressure Relief Valve (Rvw61)	1	\$192.42	\$192.42
Shipping	1	\$50.00	\$50.00
Diagnosis Fee	1	\$200.00	\$200.00
Plumbing Labor Rate	4	\$100.00	\$400.00
		Sub-Total ex Tax	\$842.42
		Tax	\$0.00
		Total inc Tax	\$842.42

Labor	\$600.00
Materials	\$242.42
Sub-Total ex Tax	\$842.42
Tax	\$0.00
Total inc Tax	\$842.42

07:26:23 JAN 21 2022

Page 1 of 1

FERGUSON ENTERPRISES #1300

Price Quotation

Phone: 443-543-1300

Fax: 410-242-4893

Bid No: B912483
Bid Date: 01/21/22
Quoted By: AJB

Cust Phone: 301-574-1555
Terms: NET 10TH PROX

Customer: S & S FABRICATORS INC
4845 SOUTH CRAIN HIGHWAY
UPPER MARLBORO, MD 20772

Ship To: S & S FABRICATORS INC
4845 SOUTH CRAIN HIGHWAY
UPPER MARLBORO, MD 20772

Cust PO#:**Job Name:** MD019

Item	Description	Quantity	Net Price	UM	Total
A1060410	*NP 3/4 ASME PRES REL VLV 50 PSI AVAIL-APPROX 3-DAY LEAD	1	160.345	EA	160.35
					Net Total: \$160.35
					Tax: \$10.37
					Freight: \$12.42
					Total: \$183.14

Quoted prices are based upon receipt of the total quantity for immediate shipment (48 hours). SHIPMENTS BEYOND 48 HOURS SHALL BE AT THE PRICE IN EFFECT AT TIME OF SHIPMENT UNLESS NOTED OTHERWISE. QUOTES FOR PRODUCTS SHIPPED FOR RESALE ARE NOT FIRM UNLESS NOTED OTHERWISE.

CONTACT YOUR SALES REPRESENTATIVE IMMEDIATELY FOR ASSISTANCE WITH DBE/MBE/WBE/SMALL BUSINESS REQUIREMENTS.

Seller not responsible for delays, lack of product or increase of pricing due to causes beyond our control, and/or based upon Local, State and Federal laws governing type of products that can be sold or put into commerce. This Quote is offered contingent upon the Buyer's acceptance of Seller's terms and conditions, which are incorporated by reference and found either following this document, or on the web at <https://www.ferguson.com/content/website-info/terms-of-sale>
Govt Buyers: All items are open market unless noted otherwise.

LEAD LAW WARNING: It is illegal to install products that are not "lead free" in accordance with US Federal or other applicable law in potable water systems anticipated for human consumption. Products with "NP" in the description are NOT lead free and can only be installed in non-potable applications. Buyer is solely responsible for product selection.

COVID-19 ORDER: ANY REFERENCE TO OR INCORPORATION OF EXECUTIVE ORDER 14042 AND/OR THE EO-IMPLEMENTING FEDERAL CLAUSES (FAR 52.223-99 AND/OR DFARS 252.223-7999) IS EXPRESSLY REJECTED BY SELLER AND SHALL NOT APPLY AS SELLER IS A MATERIALS SUPPLIER AND THEREFORE EXEMPT UNDER THE EXECUTIVE ORDER.

HOW ARE WE DOING? WE WANT YOUR FEEDBACK!



Scan the QR code or use the link below to
complete a survey about your bids:

<https://survey.medallia.com/?bidsorder&fc=2&on=280399>

