

Region: 2

Location: NY067

CSS #: 89447

Maximo Work Order No.: 19197

Asset #: NA

Date Issued: 08/03/2022

Routine - Repair OMS bay door. Door does not open or close

Repairs Needed:

Labor and material to a.) remove the existing door operator b.) install a new operator and wiring c.) adjust the door springs and door for proper operation to occur. No further action required

RS Means Line Buildup and Labor Summary (Data Version 2017, Q4):

Quantity	Line Item Number	Description	Labor Hours	Labor Rate/Hr	Materials	Equipment	Total
--	NA	Materials (See detail attached)			\$1,957.96	--	\$1,957.96
--	NA	TW Labor (Includes Diagnostic	12	\$80.00	--	--	\$960.00

Estimate Summary:

Labor Hours	Labor Cost	Material Cost	Equipment	Total Cost	CE Factor	Total Estimate
12	\$960.00	\$1,957.96		\$2,917.96	103%	\$3,005.50



Customer Quotation

To:

TIDEWATER INC
6625 SELNICK DR #A
ELKRIDGE MD 21075-6220

Information

Date	08/24/2022
Customer Account Number	885295220
Grainger Quote Number	47131375
Customer Job Number	
Contract Number	
Grainger Representative	John R Romano
Phone Number	
Fax Number	
Email	
Grainger Tax ID	36-1150280

Item	Description Manufacturer Name & Model	Cat. Pg. #	Qty	\$ Quote	Ext. Price	Start Date	Exp. Date
2TRN1	Indusl Door Opener,Hoist/Rght,Max H 24Ft LIFTMASTER H501L5R Country of Origin: Mexico		1	1,431.51	1,431.51	08/24/2022	12/31/2022
6XZV6	Commercial Photo Eye System,PR LIFTMASTER CPS-U Country of Origin: Mexico		1	200.12	200.12	08/24/2022	12/31/2022
				Total \$	1,631.63		

All orders are subject to the terms and conditions in your current contract with Grainger or to Grainger's current Terms of Sale as set forth on Grainger.com

Thank You!
Visit us at grainger.com

CONNECT REVERCING DE EE INSTALLATION MANU

FOR INDOOR USE ONLY.
NOT FOR RESIDENTIAL USE.
USE COPPER CONDUCTORS ONLY.
MOUNT OPERATOR A MINIMUM OF 8 FEET ABOVE FLOOR.

POWERHOIST[™]

MODEL:	STANDARD	MODEL CODE:	PSH211 SR2		
SERIAL NO:	1913551				
MOTOR HP:	1/2	CYCLES/HR:	30	DATE:	7/8/10
VOLTS:	115	AMPS:	10	HERTZ:	60
SEC. VOLTS:	24	FT.LBS./SEC:	150	PHASE:	1

