

CERTIFICATION OF WORK
(To be completed by the Contractor and saved in the Contractor's CMMS)

FACID/Building: NY023 Bldg 200 Date of Visit: 16/6/08 (and saved in the Contractor's CMMS)

Contractor Personnel on Site:

1. Twome

2. J Rawamp

Work Performed:

Preventive Maintenance -(Annual, Quarterly, Monthly, equipment identification, etc.)
Service Orders -

CERTIFICATION OF WORK

To be signed by the Contractor

Print Name: Twolyns

Date: 10/19/18

Signed:

To be signed by Facility Manager:



I certify that the above named individuals representing the Contractor arrived on site and to the best of my knowledge, completed the stated work listed:


Print Name/Rank: Louis Corbo

Date: 10-29-2015

Signed: Louis Corbo


E-Mail: Louis.A.Corbo-CTR@mail.mil





1 2 3 4

1 2 3 4



SIEMENS



MNS LOCAL
OPERATORS
CONTROL STATION

FireFinder

Alarms 0

Supers 1

Securities 0

Troubles 5



1st Floor Control Equipment

Apr 16 Multiple

Printer out of paper

IN



2nd Floor Control Equipment

Jul 13 Multiple

Not responding

IN



3rd Floor Audible Notification

Jul 17 Multiple

Amplifier 1 Trouble

IN



LPB @ address 34:100

Jul 17 Submodule

Not responding

IN



3rd Floor Speaker Circuit "W"

Jul 17 Submodule

Not responding

IN



FireMaster

Sealed Rechargeable

Battery

POWER  **SONIC**®

MODEL PS-121000U

12 Volt 100.0 Amp-Hr.

www.powersonic.com



POWER

MODEL

12 Volt

100.0 Amp-Hr.