

Additional Funding Request

Site:	WO #23781 CSS #92820
Description of Repairs	Building 206 rooms 301 and 1st floor hallway replace total 5-LED 4' fixtures. CSS#92717 will be canceled and replaced with this.
Diagnosis: Initial Work Order	Remove five existing LED fixtures and install five new LED fixtures on first floor hallway and third floor room 301.
Explanation of Additional Costs for Repairs	Quote less the cost of diagnostic incurred cost
Additional Labor Cost to Perform Repairs	1350.00
Additional Material Cost to Perform Repairs	850.00
Total Cost of Repair	2200.00

MSL Electric, LLC

6551 GRAND AVE
NY 11378

Estimate

Date	Estimate #
4/7/2023	1315

Name / Address
International Support Group 9050 Pine Blvd., Suite 150 Pembroke Pines, FL 33024

Project
206 Totten Avenue Ft. Totten Bayside, NY 11359

CSS
92820

Work Order

Terms

Item	Description	Qty	Rate	Total
Service	Remove five existing defective LED fixtures and install" five new LED fixtures for the lighting in the first floor" hallway and third floor room 301. The existing fixtures" have no markings on them making it impossible to match" what is existing. Ceiling in room 301 is roughly 15 feet" high and will require the use of a scaffold.	10	135.00	1,350.00
16 Electrical & Li...	Lighting fixtures for above repair. Topaz LWRAP4/48W/CTS/D-98	5	120.00	600.00
Equipment Rental"	Baker Scaffold rental per day.	1	250.00	250.00

Subtotal		\$2,420.00
Sales Tax (8.875%)		\$0.00
Total		\$2,420.00

← [Back to overview](#)

4' LED Modern Wraparound CCT Selectable 48W

Item No. LWRAP4/48W/CTS/D-98



Topaz's 4', 48W, LED Modern Wraparound offers energy efficiency and a fresh, updated look for residential and commercial settings. The frosted lens and white housing provide clean lines to easily upgrade the look of garages, laundry rooms, offices, and closets. The CCT selectable switch and dimming capabilities make it possible to customize ambiance to create the perfect space. These fixtures are linkable and come with a 14" jumper wire and end-to-end connector and can be surface mounted, or suspension mounted using the supplied chains and V-hook.

[Spec Sheet](#) ›

[Lighting Layout Tool](#) ›

› [Additional Downloads](#)

› [Print preview](#)

+ [Hover to zoom](#) | [Click to enlarge](#)

› [Tell a friend](#)