

PREVENTIVE MAINTENANCE PROGRAM CHECKLIST

Heat Sensor

SITE AND BLDG#: NY058-104

MECHANIC

SIGNATURE: SIGNATURE ON FILE (DROWE)

DATE: 4/11/23

Site Location	WO#	Asset#	PM#	Manufacturer	Model Number	Serial#	Asset Description	Asset Location
NY058-104	2-21520	10270	PM-AN-10270	N/A	N/A	N/A	J-17 3-PC Heat Sensor , RM 226 & 143, 10270, NY058-104	RM 143, 226

CHECK POINT	CHECKPOINT DESCRIPTION	NOTES/ACTIONS (if Task Complete is Checked 'NO', Then Provide Explanation)
		TO BE PERFORMED AT EACH INSPECTION SERVICE
1	In addition to the procedure(s) outlined in this standard, the equipment manufacturer's recommended maint. procedure(s) and/or instruction(s) shall be strictly adhered to.	
2	Schedule and coordinate work with operating personnel.	
3	Follow lock out/tag out procedures at all times. De-energize or discharge all hydraulic, electrical, mechanical, or thermal energy prior to beginning work	
4	Check for proper functioning	
5	Inspect visual condition of motion lens.	
6	Check for proper light operation	
7	For any noted deficiency, takes pictures and open corrective maintenance ticket.	

Note: The technician shall perform any repairs identified during PM up to \$250 (direct labor and direct material cost) per PM occurrence. For any deficiencies found exceeding \$250 open a corrective maintenance (CM) ticket and include the Asset #, WO #, photos, and a detailed description of the deficiency.

To be performed by: General Maintenance Worker

Additional Notes: