

C-115822

PREVENTATIVE MAINTENANCE PROGRAM CHECKLIST
LIGHTING, OUTSIDE PHOTOCELL

MECHANIC
SIGNATURE: _____

DATE: _____

SITE AND BLDG #: VA099-01

START TIME: _____

FINISH TIME: _____

LOCATION/IRM #:

Site	WO #	Asset #	PM #	Manufacturer	Model Number	Serial #	Asset Description	Asset Location
Location	VA099-01	10102	1613				J-1502000-43 14-pc Photocell/POLV Lights	

CHECK POINT	CHECKPOINT DESCRIPTION	SPECIAL INSTRUCTIONS	TASK COMPLETE		NOTES/ACTIONS (IF TASK COMPLETE IS CHECKED NO PROVIDE EXPLANATION)
			YES	NO	
1	In addition to the procedure(s) outlined in this standard, the equipment manufacturer's recommended maintenance procedure(s) and/or instruction(s) shall be strictly adhered to.		✓		4 poles lights are out in Front Circuit 8 has a bad bulb pack causing breaker to trip
2	Schedule and coordinate work with operating personnel.		✓		1 pole light is Dim at Back
3	Follow lock out/tag out procedures always. De-energize or discharge all hydraulic, electrical, mechanical, or thermal energy prior to beginning work.				
	TO BE PERFORMED AT EACH INSPECTION SERVICE				
1	Open and tag switch.		✓		
2	Inspect visual condition of wiring. Look for evidence of overheating.		✓		
3	Check for proper light operation.		✓		
4	Test operation of automatic switches/ time clock/ photocells if applicable.		✓		
5	Inspect light pole and mounting devices for deficiencies.		✓		
6	For any noted deficiency, takes pictures and open corrective maintenance ticket.		✓		

Note: The technician shall perform any repairs identified during PM up to \$250 (direct labor and direct material cost) per PM occurrence. For any deficiencies found exceeding \$250 open a corrective maintenance (CM) ticket and include the Asset #, WO #, photos, and a detailed description of the deficiency. To be performed by: General Maintenance Worker Additional Notes: