

CONFINED SPACE ENTRY PERMIT

Powell Sanitation & Construction

18536 Cussewago Rd., Meadville, PA 16335

800-336-3191 or 814-333-3191

Location: <u>Keystone Ordnance</u>		Type of Space: <u>Wet Well</u>	
Reason for Entry: <u>Cleaning</u>			
Atmospheric Hazards:		☒ Oxygen deficiency ☒ Combustible gas ☐ Toxic contaminants ☐ Chemical/Biological ☐ Noise ☐ Other _____	
Physical Hazards: ☐ Mechanical ☐ Electrical ☐ Heat		☐ Personal Protective Equipment ☐ Other _____	
Hazard Controls: ☐ Ventilation ☐ Lockout/Tagout			

Beginning Date: <u>1-10-23</u>	Beginning Time: <u>11:00</u> ☒ A.M. ☐ P.M.	Ending Date: <u>1-10-23</u>	Ending Time: <u>193</u> ☐ A.M. ☐ P.M.
--------------------------------	---	-----------------------------	---

Authorized Personnel	
Entrants' Names with Dept./Shop/ or Company	Attendants' Names with Dept./Shop/ or Company
<u>Eric Mattix</u>	<u>Mike Bowersox</u>
<u>Mike Bowersox</u>	<u>Eric Mattix</u>
<u>Be Barroth</u>	<u>Joe Barroth</u>

Required Equipment	
Communication Methods with Entrants: ☒ Voice ☐ Radio ☐ Phone ☒ Visual ☐ Rope signals ☐ Other _____ Communication Methods to Contact Emergency Services: ☒ Phone ☐ Radio ☐ Other _____	
Personal Protective Equipment: ☐ Coveralls ☐ Tyvek® suit ☐ Leather gloves ☐ Chemical Resistant gloves ☐ Welding gloves ☐ Welding hood ☐ Eye protection ☐ Hearing protection ☐ Respiratory protection ☐ Safety shoes/boots ☐ Hard Hat ☒ Harness/life line ☒ Tripod/winch ☐ Other _____	
Traffic Control: ☐ Barricades ☐ Vests ☐ Flags ☐ Signs	Hot works: ☐ Yes (Hot Works Permit required) ☐ No

Atmospheric Testing									
Type of Gas Monitor: <u>GILC</u>				Date of Last Calibration: _____					
Tests	Acceptable Entry Conditions	1 st	2 nd	3 rd	4 th	5 th	6 th	7 th	8 th
Oxygen	19.5-23.5%	<u>20.9</u>							
Combustible Gas	Below 10% LEL	<u>0</u>							
Carbon Monoxide	0-25 ppm	<u>0</u>							
H ₂ S									
Initials of Tester		<u>SAB</u>							

Approvals	
Entry Supervisor (Print) <u>Michael Bowersox</u>	(Sign) <u>Michael Bowersox</u>
I assumed the responsibility of Entry Supervisor on (date) _____	at (time) <u>X</u>
Entry Supervisor (Print) _____	(Sign) <u>X</u>
This Confined Space Entry Permit has been revoked because: _____	
Entry Supervisor (Print) _____	(Sign) <u>X</u>
Comments: _____	