

Additional Funding Request

Site: VA009	WO# 8444	CSS # 19109	Asset# NA
Description of Repairs	Repair Both Entry and Exit Loops		
Diagnosis: Initial Work Order CSS# 19109	Gate INOP		
Explanation of Additional Costs for Repairs	Labor and material to repair gate loops		
Additional Labor Cost to Perform Repairs	$8 \times \$125.00 = \$1,000$		
Additional Material Cost to Perform Repairs	\$254.00		
Total Cost of Repair	\$1,254.00 - \$250.00 PM Credit = \$1,004		


Mid-Atlantic Entry Systems, Inc.

8450 Old Richfood Road
DCJS#11-2887
Mechanicsville, VA 23116
Phone: 804-737-2191
Fax: 804-737-5797

SERVICE QUOTATION

Quote No: Q37690

Date: 06/7/2019

Expires: 07/07/2019

FAX:

Prepared for: Jamie Merchant

Prepared by: Linda Hamamouche Wilhelm

Terms: Call for CC approval

Billing Address: AcctNo: 21882

International Support Group
9000 Sheridan Street
Suite 172
Pembroke Pines, FL 33024

Ship to Address:

Army Reserve Center- Suffolk
Lt. Shea Reserve Center
3502 Bennetts Creek Park Road
Suffolk, VA 23435

Request: Proposal to replace the free exit and outside safety loops. This proposal includes labor needed to complete the proposed work.

PLEASE NOTE: Due to the condition of the drive surface, Mid-Atlantic Entry Systems cannot warranty the loop cut. If the drive surface is repaired prior to Mid-Atlantic Entry systems cutting the new loop, there will be a one year warranty on the work.

ItemNo	Description	Qty	Price	Extended
LAB-CUT-LOOP-ASPH	Loop cut normal in asphalt - labor & materials PLEASE NOTE: Due to the condition of the drive surface, Mid-Atlantic Entry Systems cannot warranty the loop cut. If the drive surface is repaired prior to Mid-Atlantic Entry systems cutting the new loop, there will be a one year warranty on the work.	2.00	627.00	1,254.00

Notes:

TTHN Wire- \$254.00
Labor: 8 Hours @ \$125.00 = \$1,000

Exclusions: ESTIMATE FOR REPAIR ONLY, ADDITIONAL TIME AND MATERIALS MAY BE REQUIRED. This proposal is for work to be completed during normal business hours, Monday - Friday 7:30 AM - 4:30 PM

MOTORIZED GATES ARE FOR VEHICLE TRAFFIC ONLY. PEDESTRIANS MUST USE SEPARATE ENTRANCE/EXIT PURPOSED FOR PEDESTRIAN USE.

All service carries a 30 day labor warranty and 90 day part warranty. Warranty does not cover abuse and acts of God/nature. All warranty work is completed during normal business hours. In the event of default, the purchaser agrees to pay all reasonable court costs and attorney fees. Purchaser further agrees to pay interest at the rate of 18% on all accounts over 30 days. I have read and understand the contents of this quote.

Sub Total: 1,254.00
Sales Tax: 0.00

Approval: _____ **Date:** _____

Total Quoted Amount: 1,254.00



Direct Sales in US and Canada | 1-800-633-0405

Login | Register

Entire Site

Search

\$0.00 0

MY ORDERS | PRODUCT RETURNS | INVOICES | QUOTES | ABOUT US

[Checkout ►](#)

FREE 2-Day Shipping \$49 and over

Home | Products | Support | Account | Chat

Attention Hubbell-Wiegmann Enclosure Customers: The order deadline for same-day shipment of LTL (freight) orders is 3:00 pm ET. Small parcel orders ship until 4:00 pm ET.

[Wiring Solutions](#) > [Electrical Hook-Up / Building Wire](#) > [Insulation Type - THHN](#) > **THHN8GYL**



THHN8GYL

500ft reel

There are no reviews for this item.
Be the first to [write a review...](#)

THHN hook-up wire, 8 AWG, 19-stranded, bare copper, green with yellow stripe insulation, 600V, 500ft reel. Alternate part ID: 139101005440.

Free 2-day shipping available for orders greater than \$49.



Go to the [Product Overview](#) for this category.

[Report a problem or incorrect product information.](#)

[<< Previous Item](#) [Next Item >>](#)

✓ In Stock

1 YEAR WARRANTY

Compare

Price: **\$209.00**

Qty. In Cart:

[Update Cart](#)

[Add to BOM or Favorites](#)

Please login to get delivery estimates or enter your postal code below.

[Change delivery postal code](#)

Enter your postal code for delivery estimates:

Item Shipping Weight: 31.43 lb

Country Of Origin: USA

HS Code: 8544.49



Product Info

Videos

Reviews

SPECS

NOTES

DOCS & DRAWINGS

COMPLIANCE INFO

RECOMMENDED / RELATED

TOP

THHN8GYL Specifications

Technical Specifications

Technical Attributes

Item	Hook-up wire
Wire/Cable Type	THHN
Voltage Rating	600V