

REVIEWED

By Mike Merchan at 4:25 pm, Feb 19, 2019

PREVENTATIVE MAINTENANCE PROGRAM CHECKLIST
PHOTOCELL

SITE AND BLDG #: VA050-01

MECHANIC
SIGNATURE: *TMC*

DATE: 2/19/19

LOCATION/RM #: *POV*START TIME: *9 AM*FINISH TIME: *10 AM*

Site Location	WO #	Asset #	PM #	Manufacturer	Model Number	Serial #	Asset Description	Asset Location
VA050-01	7249	1606			SBF100400NEASME		J-1502000-43 11-pc PhotocellPOV Lights	

CHECK POINT	CHECKPOINT DESCRIPTION	TASK COMPLETE		NOTES/ ACTIONS (IF TASK COMPLETE IS CHECKED NO, PROVIDE EXPLANATION)
		YES	NO	
SPECIAL INSTRUCTIONS				
1	In addition to the procedure(s) outlined in this standard, the equipment manufacturer's recommended maintenance procedure(s) and/or instruction(s) shall be strictly adhered.			<i>hybrid solar lights</i>
2	Follow lock out/tag out procedures at all times. De-energize or discharge all hydraulic, electrical, mechanical, or thermal energy prior to beginning work.			
TO BE PERFORMED AT EACH INSPECTION SERVICE				
1	Ensure the is operating properly and is free of abstractions and/or damage.			<i>There is an individual controller for each light.</i>
2	Damaged should be repaired as necessary to maintain their effectiveness.			
3	Clean and/or remove debris/sediment accumulation as necessary.			

Note: The technician shall perform any repairs identified during PM up to \$250 (direct labor and direct material cost) per PM occurrence. For any deficiencies found exceeding \$250 open a corrective maintenance (CM) ticket and include the Asset #, WO #, photos, and a detailed description of the deficiency. To be performed by: General Maintenance Worker **Additional Notes:**



batteries located
below each light