

## Additional Funding Request

| <b>Site: VA099</b>                                 | <b>WO# 7952</b>   | <b>CSS # 17854</b> | <b>Asset# NA</b> |
|--|---|--------------------|------------------|
| Description of Repairs                             | Fill makeup tank with glycol                            |                    |                  |
| Diagnosis: Initial Work Order<br><b>CSS# 17854</b> | The Glycol make up tank is empty and needs to be filled |                    |                  |
| Explanation of Additional Costs<br>for Repairs     | Labor and material to fill makeup tank with glycol      |                    |                  |
| Additional Labor Cost to<br>Perform Repairs        | 3 x \$80= \$240.00 (ISG Tech Time)                      |                    |                  |
| Additional Material Cost to<br>Perform Repairs     | \$923.71  |                    |                  |
| Total Cost of Repair                               | \$1,163.71  |                    |                  |
|  |   |                    |                  |
|  |   |                    |                  |

**From:** [George Grant](#)  
**To:** [Jamie Merchant](#); [Brian Leighton](#); [ISG/99th RSC Work Control](#)  
**Subject:** FW: Quote Ethylene Glycol VA 099  
**Date:** Monday, March 18, 2019 12:05:01 PM  
**Attachments:** [image002.png](#)  
[image003.png](#)  
[image004.png](#)  
[image005.png](#)

---

---

**From:** Melissa Adams <[melissa@dynalene.com](mailto:melissa@dynalene.com)>  
**Sent:** Monday, March 18, 2019 11:17 AM  
**To:** George Grant <[ggrant@internationalsupportgroup.com](mailto:ggrant@internationalsupportgroup.com)>  
**Cc:** Allison Zolnowsky <[allisonz@dynalene.com](mailto:allisonz@dynalene.com)>  
**Subject:** Quote

Hello Grant,

It was nice speaking to you a few minutes ago. Below is the quote you require. If you have any questions, please let us know.

|               |   |
|---------------|---|
| Fluid:        | Dynalene EG                                       |
| Price/unit:   | \$381 per 55-gal drum                             |
| Quantity:     | 1 drums   |
| Fluid price:  | \$381.00  |
| Freight:      | \$283.08 (includes limited access and a liftgate) |
| <b>Total:</b> | <b>\$664.08</b>                                   |

Kind Regards,

Melissa Adams  
Sales Administrator  
5250 W. Coplay Road  
Whitehall, Pennsylvania 18052  
Phone: 610.262.9686 Ext: 118  
Fax: 610.262.7437



*Follow Us:*



The foregoing contains confidential information of Dynalene, Inc. and disclosure to any third party other than the intended recipient is expressly prohibited. Further, be advised that no employee, officer or director of Dynalene, Inc. is authorized to enter into any contractual or other commitment on behalf of Dynalene, Inc. via email communication or verbal commitment

[Print](#)[Email](#)

DAYTON

GRAINGER CHOICE

# 1/12 HP Utility Pump, 115 Voltage, 3/4" GHT Inlet, 3/4" GHT Outlet

Item # 3YU61 Mfr. Model # 3YU61 Catalog Page # 2624 UNSPSC # 40151510



Web Price i  
**\$144.39** / each

One Time Delivery

1

[Add to Cart](#)

[+ Add to List](#)

Shipping

Pickup

Available for pickup Tue. Mar 19  
 estimated after 2:00 PM.

JACKSONVILLE Branch #385  
[Branch Info](#) | [Change](#)

Jump to: [Replacement Parts](#)

1.0 of 5 | [1 review](#) | [Write a Review](#)

Shipping Weight 6.8 lbs.

Country of Origin China | *Country of Origin is subject to change.*

*Note: Product availability is real-time updated and adjusted continuously. The product will be reserved for you when you complete your order.* [More](#)



360°

How can we [improve our Product Images?](#)

Compare

## Technical Specs

|                   |                               |                               |  |
|-------------------|-------------------------------|-------------------------------|--|
| Item              | Utility Pump                  | Max. Specific Gravity         | 1.0  |
| HP                | 1/12                          | Max. Case Pressure            | 18.6 psi   |
| Phase             | 1                             | Impeller Type                 | Flex-Vane  |
| Voltage           | 115                           | Bearing Type                  | Ball   |
| Amps              | 2.0                           | Duty                          | Intermittent   |
| Hz                | 60                            | Max. Dia. Solids              | Clear water Only   |
| Inlet             | 3/4" GHT                      | Agency Compliance             | UL Listed  |
| Outlet            | 3/4" GHT                      | Manufacturers Warranty Length | 1 yr.  |
| Motor Enclosure   | ODP                           | Height                        | 4"   |
| Motor Type        | AC/DC Brush                   | Length                        | 6 1/2"   |
| Wetted Materials  | Thermoplastic, Rubber, Buna N | Width                         | 5"   |
| Impeller Material | Rubber                        | Includes                      | Ports with 3/4" OD Fittings, Corrosion-resistant Pump, 6 Feet Length of Garden Hose, Suction Strainer, Extra Impeller, Cam Ring and O-ring |
| Housing Material  | Plastic                       |                               |  |

[Print](#)[Email](#)

TOUGH GUY

GRAINGER CHOICE

# 25 ft. x 5/8" dia. Hot Water Hose, Rubber, 400 psi, Red

Item # 423H82 Mfr. Model # 423H82 Catalog Page # 1015 UNSPSC # 40142008



Web Price 1  
**\$21.59** / each

One Time Delivery

1

[Add to Cart](#)[+ Add to List](#)

Shipping

Pickup

Expected to arrive **Tue. Mar 19.**Ship To 32003 ([Change](#))

 5.0 of 5 | [1 review](#) | [Write a Review](#)

Shipping Weight 5.79 lbs.

Country of Origin USA | *Country of Origin is subject to change.*

*Note: Product availability is real-time updated and adjusted continuously. The product will be reserved for you when you complete your order. [More](#)*

 [How can we improve our Product Images?](#)

[Compare](#)

## Technical Specs

|                      |                |
|----------------------|----------------|
| Item                 | Hot Water Hose |
| Garden Hose Type     | Water Hose     |
| Use With Water Temp. | Hot/Cold       |
| Hose Material        | Rubber         |
| Hose Inside Dia.     | 5/8"           |
| Hose Length          | 25 ft.         |
| Connection           | GHT            |
| Hose Color           | Red            |
| Kink Resistant       | No             |

|                          |  |
|--------------------------|--|
| Hose Duty Rating         | Heavy  |
| Operating Temp.          | 180 Degrees F  |
| Maximum Pressure         | 400 psi  |
| Number of Ply            | 3  |
| Gallons per Hour         | 700  |
| Coupling Material        | Aluminum   |
| Coupling Weight Capacity | 1200 lb.   |
| Features                 | Commercial Use, High Burst Pressure, Crush Proof Couplings |