

Date:

Region:

FEMS/CSS No.:

FAC ID:

Maximo WO No.:

Asset #:

Priority:



**Original Work Request:**

No heat call, new 12-ton condenser line frozen again, system is shut down and is not providing heat to zone 2. Equipment may still have some warranty. Recommended contractor: Jonathan Giles (304) 365-4565

**Description of Repairs Needed:**

Proposal is for labor and materials used to replace the fan cycle controls and charge the system with refrigerant. Started system and verified for proper operation.

**Labor:**

	Labor Hrs	Labor Rate	Total
Tech (1) for Emergency Repair	9	\$ 145.67	\$ 1,311.03
Trip Charge	1	\$ 35.00	\$ 35.00

**Material List:**

	Quantity	Cost	Total
fan cycle control kit (ICM325A, 310-350 psi, 120-600V, 10A)	2	\$ 259.99	\$ 519.98
fittings	2	\$ 20.00	\$ 40.00
Refrigerant	1	\$ 68.62	\$ 68.62
		\$	-
		\$	-
		\$	-
		\$	-

**Equipment List:**

	Quantity	Cost	Total
		\$	-
		\$	-
		\$	-

**PM WO History:**


**Estimate Summary:**

Labor	Material	Equipment
\$1,346.03	\$628.60	\$0.00

Sub Total	G&A 12%	Fee 6%	Total Estimate
\$1,974.63	\$236.96	\$118.48	\$2,330.06