

PREVENTATIVE MAINTENANCE PROGRAM CHECKLIST
PHOTOCELL

SITE AND BLDG #: WV046-02

LOCATION/RM #: OMS LOT

**MECHANIC
SIGNATURE:**

DATE: 01 JUN 19

START TIME: 9:30 PM **FINISH TIME:** 10:30 PM

Site Location	WO #	Asset #	PM #	Manufacturer	Model Number	Serial #	Asset Description	Asset Location
WV046-02	8590	7455	PM-MO-7455				J-1502000-45 4-pc 2 LED Fixture Steel LED Photocell Contacts	

CHECK POINT	CHECKPOINT DESCRIPTION	TASK COMPLETE		NOTES/ ACTIONS (IF TASK COMPLETE IS CHECKED NO, PROVIDE EXPLANATION)
		YES	NO	
SPECIAL INSTRUCTIONS				
1	In addition to the procedure(s) outlined in this standard, the equipment manufacturer's recommended maintenance procedure(s) and/or instruction(s) shall be strictly adhered to.	✓		
2	Follow lock out/tag out procedures always. De-energize or discharge all hydraulic, electrical, mechanical, or thermal energy prior to beginning work.		✓	NA
TO BE PERFORMED AT EACH INSPECTION SERVICE				
1	Clean timeclock using a soft lint-free cloth and spray bottle of glass cleaner. Remove any dirt or grease build up.		✓	N/A
2	Check physical connections.		✓	N/A
3	Verify the timeclock configuration, ensure proper operation.		✓	N/A
4	If applicable, check battery and replace as needed.		✓	N/A

Note: The technician shall perform any repairs identified during PM up to \$250 (direct labor and direct material cost) per PM occurrence. For any deficiencies found exceeding \$250 open a corrective maintenance (CM) ticket and include the Asset #, WO #, photos, and a detailed description of the deficiency. To be performed by: General Maintenance Worker **Additional Notes:**

AFTER DARK VISUAL INSPECTION
ALL LIGHTS OPERATIONAL

