

SITE AND BLDG #: 24050

MECHANIC SIGNATURE: *Pullover* DATE: 12/17/19

LOCATION/RM #: WO#

START TIME: FINISH TIME:

[illegible]

Date		Inspector		Inspector		Inspector	
1	In addition to the procedure(s) outlined in this standard, the equipment manufacturer's recommended maintenance procedure(s) and/or instruction(s) shall be strictly adhered to.	✓	ASSET# 10020 - Motor Pool area				
2	Schedule and coordinate work with operating personnel.	✓					
3	Follow lock out/tag out procedures at all times. De-energize or discharge all hydraulic, electrical, mechanical, or thermal energy prior to beginning work.	✓	Don't work they aware of it.				
4	Open and tag switch.	✓					
5	Inspect visual condition of wiring. Look for evidence of overheating.	✓				yes	
6	Check for proper light operation.	✓				yes	
7	Test operation of automatic switches/ time clock/ photocells if applicable.	✓				yes	
8	Inspect light pole and mounting devices for deficiencies.	✓					
9	For any noted deficiency, takes pictures and open corrective maintenance ticket.	✓					

Note: The technician shall perform any repairs identified during PM up to \$250 (direct labor and direct material cost) per PM occurrence. For any deficiencies found exceeding \$250 open a corrective maintenance (CM) ticket and include the Asset #, WO #, photos, and a detailed description of the deficiency.

To be performed by: General Maintenance Worker

Additional Notes:

ASSIGN # — W. 24

PK-MO-10013-6183-7 PC DOUBLE LIGHT — OK
PK-MO-10020-6184-4 PC DOUBLE LIGHT
PK-SA-10017-6246-7 PC DOUBLE LIGHT
PK-SA-10028-6247-4 PC DOUBLE LIGHT