

PREVENTATIVE MAINTENANCE PROGRAM CHECKLIST
LIGHTING, OUTSIDE

SITE AND BLDG #: 119024-208 MECHANIC SIGNATURE: William DATE: 1/9/2020
LOCATION/RM #: WO# 6708 ASSET # 9692 START TIME: FINISH TIME:

		START TIME	FINISH TIME
1	In addition to the procedure(s) outlined in this standard, the equipment manufacturer's recommended maintenance procedure(s) and/or instruction(s) shall be strictly adhered to.	☒	5 PC DOUBLE LIGHT SOLAR
2	Schedule and coordinate work with operating personnel.	☒	5 PC SINGLE LIGHT SOLAR
3	Follow lock out/tag out procedures at all times. De-energize or discharge all hydraulic, electrical, mechanical, or thermal energy prior to beginning work.	☒	1 BULB OUT
4	Open and tag switch.	☒	CHANGE IP KANARY
5	Inspect visual condition of wiring. Look for evidence of overheating.	☒	
6	Check for proper light operation.	☒	
7	Test operation of automatic switches/ time clock/ photocells if applicable.	☒	
8	Inspect light pole and mounting devices for deficiencies.	☒	
9	For any noted deficiency, takes pictures and open corrective maintenance ticket.	☒	

Note: The technician shall perform any repairs identified during PM up to \$250 (direct labor and direct material cost) per PM occurrence. For any deficiencies found exceeding \$250 open a corrective maintenance (CM) ticket and include the Asset #, WO #, photos, and a detailed description of the deficiency.

To be performed by: General Maintenance Worker

Additional Notes: ASSET # - 119024

PM-1190-9692-6708

DOUBLE LIGHT SOLAR panel - 1 out BULB